




Perfilados e acessórios


A linha de perfilados e acessórios fabricados pela Real Perfil é composta por uma vasta quantidade de peças padronizadas e intercambiáveis quanto ao seu sistema de aplicação, porém com as mais variadas possibilidades de utilização. O emprego dessas peças permite a formação de um sistema completo, que será empregado na condução e derivação da rede elétrica, lógica e telefonia, garantindo assim versatilidade, rapidez de montagem e economia.

Perfilados e acessórios

Profiles and fittings


Perfilado perfurado 38x38 mm

High channel with perforations 38x38
Ref. RP 2000




Perfilado perfurado 19x38 mm

Low channel with perforations 19x38
Ref. RP 2001




Curva horizontal
Horizontal bend

Ref. RP 2381/90 - 90°
Ref. RP 2381/45 - 45°



Perfilado liso com 2 furos 38x38 mm

High channel with 2 holes at the end 38x38
Ref. RP 2002



Perfilado liso 19x38 mm


Low channel with solid bases 19x38
Ref. RP 2003



Curva vertical interna


Internal vertical bend

Ref. RP 2382/90 - 90°
Ref. RP 2382/45 - 45°




Perfilado liso 38x38 mm

High channel with solid bases 38x38
Ref. RP 2004



Perfilado liso com 2 furos 19x38 mm

Low channel with 2 holes at the end 19x38
Ref. RP 2333



Curva vertical externa


External vertical bend

Ref. RP 2383/90 - 90°
Ref. RP 2383/45 - 45°




Perfilado perfurado 38x76 mm

Double channel with perforations 38x76
Ref. RP 2008



Perfilado liso com 4 furos 38x76 mm

Double channel with 4 holes at the end 38x76
Ref. RP 2009



Curva de inversão 90°

90° Reversal vertical bend for channel

Ref. RP 2384




Tampa de pressão para perfilado

Channels pressure covers
Ref. RP 2006 - Perfil 38
Ref. RP 2300 - Perfil 76



Tampa de encaixe 38x3000

Channel inserting cover 38 x 3000
Ref. RP 2007



Desnível para perfilado 38x38 mm


Vertical crossover for channel
Ref. RP 2432/H



Obs: Informar a altura "H"
Note: Inform the height "H"

Tampa de encaixe 76x3000


Channel Inserting cover 76x3000
Ref. RP 2339



Desvio horizontal

Horizontal crossover for channel

Direita /right
Ref. RP 2433/B
Esquerda /left
Ref. RP 2434/B



Obs: Informar o desvio "B"
Note: Inform the deviation "B"

Perfilados Conjugados 38x38 mm

Welded channel combinations

Ref. RP 01

Ref. RP 02



Obs: Informar Perfilado Liso ou Perfurado
Note: Inform plain or perforated profiled

Acessórios para fixação e suportaço


Accessories for fixing and support

Chumbador "UR" com rosca interna
"UR" internal-thread anchor bolt




Ref.	Ø Rosca	A	Comp. rosca	Broca Ø mm
Ref.	Ø	A	Length	Ø mm
RP 2354	1/4"	25	35	6,35
RP 2356	3/8"	30	45	9,5
RP 2357	1/2"	35	55	12,7
RP 2355	5/16"			
RP 2358	5/8"			

Chumbador rosca externa
External-thread anchor bolt



Ref.	Ø Rosca	A	Comp. rosca	Broca Ø mm
Ref.	Ø	A	Length	Ø mm
RP 2426	5/16"	35	12	11
RP 2425	1/4"	40	18	14
RP 2359	3/8"	52	20	18
RP 2360	1/2"			
RP 2361	5/8"			


Suporte RT
Continuous threaded rod
Ref. RP 2075



Ø	1/4"
Ø	5/16"
Ø	3/8"
Ø	1/2"

Especificar junto à referência o Ø e o comprimento "L"
In the reference, specify the Ø and length "L"


Suporte LT
Plain rod
Ref. RP 2074



Ø	1/4"
Ø	5/16"
Ø	3/8"
Ø	1/2"

Especificar junto à referência o Ø e o comprimento "L"
In the reference, specify the Ø and length "L"


Suporte com haste
Plain rod threaded at the end
Ref. RP 2074



Ø	1/4"
Ø	5/16"
Ø	3/8"
Ø	1/2"

Especificar junto à referência o Ø e o comprimento "L"
In the reference, specify the Ø and length "L"

Parafuso cabeça redonda
Round head mach screw



comp. length	Ø 3/16	Ø 1/4
1/4"	RP 2206	
3/8"	RP 2310	
1/2"	RP 2311	RP 2321
5/8"	RP 2312	RP 2322
3/4"	RP 2313	RP 2323
1"	RP 2314	RP 2325
1.1/4"	RP 2316	RP 2326
1.1/2"	RP 2317	RP 2327

Parafuso cabeça lentilha
Lentil head bolt



Ref.	Ø x comp.
Ref.	Ø x length
RP 2340	1/4" x 1/2"
RP 2999	1/4" x 5/8"
RP 2215	1/4" x 3/4"
RP 2342	1/4" x 1"
RP 2344	5/16" x 1/2"
RP 2346	5/16" x 3/4"
RP 2350	3/8" x 1/2"
RP 2216	3/8" x 3/4"

Parafuso auto travante
Self lock bolt



Ref.	Ø x comp.
Ref.	Ø x length
RP 2341	1/4" x 1/2"
RP 2319	1/4" x 5/8"
RP 2315	1/4" x 3/4"
RP 2343	1/4" x 1"
RP 2345	5/16" x 1/2"
RP 2347	5/16" x 3/4"
RP 2351	3/8" x 1/2"
RP 2318	3/8" x 3/4"

Parafuso cabeça sextavada
hexagonal head bolt



Comp.	Ø1/4"	Ø5/16"	Ø3/8"	Ø1/2"
Length	Ø1/4"	Ø5/16"	Ø3/8"	Ø1/2"
1/2"	2200	2201	2202	2203
5/8"	2240			
3/4"	2242	2252	2262	2272
1"	2244	2254	2264	2274
1.1/4"	2245	2255	2265	2275
1.1/2"	2246	2256	2266	2276
2"	2248	2258	2268	2278
2.1/2"	2249	2259	2269	2279
3"	2250	2260	2270	2280

Parafuso cab. sextavada rosca soberba
hexagonal head screw with conical thread



Ref.	Ø x comp.	Bucha
Ref.	Ø x length	buca
RP 2209	5/16" x 2"	S-10
RP 2210	3/8" x 2.1/2"	S-12

Parafuso cabeça redonda rosca soberba
Round head screw with conical thread



Ref.	Ø x comp.	Bucha
Ref.	Ø x length	buca
RP 2211	4,2 x 30mm	S-6
RP 2212	4,8 x 45mm	S-8
RP 2213	6,1 x 50mm	S-10



REAL PERFIL

Acessórios para fixação e suportaço

Accessories for fixing and support

Porca sextavada
Hexagonal nut

Ref.	Ø x comp.
Ref.	Ø x length
RP 2222	3/16"
RP 2223	1/4"
RP 2335	5/16"
RP 2224	3/8"
RP 2225	1/2"



Arruela lisa
Plain washer

Ref.	Ø x comp.
Ref.	Ø x length
RP 2227	3/16"
RP 2228	1/4"
RP 2331	5/16"
RP 2229	3/8"
RP 2230	1/2"



Arruela de pressão
Lock washer


Ref.	Ø x comp.
Ref.	Ø x length
RP 2232	3/16"
RP 2233	1/4"
RP 2336	5/16"
RP 2234	3/8"
RP 2235	1/2"



Prolongador para suspensão
Hanger rod extension

Ref. RP 2073 - A=25mm
Ref. RP 2283 - A=50mm

Ø	1/4"
Ø	5/16"
Ø	3/8"
Ø	1/2"
	(somente RP 2283)





Obs: Comp. de 50mm sob consulta.
Note: Length of 50mm under request.

Porca losangular com pino
Lozenge nut stud

Ref. RP 2078

Ø	1/4"
Ø	5/16"
Ø	3/8"
Ø	1/2"




Demonstrativo
de montagem
Diagram of
assembly

Porca losangular com mola
Lozenge spring nut

Ref. RP 2077

Ø	1/4"
Ø	5/16"
Ø	3/8"
Ø	1/2"




Demonstrativo
de montagem
Diagram of
assembly

Porca losangular com rosca
Lozenge nut without spring

Ref. RP 2076


Ø	1/4"
Ø	5/16"
Ø	3/8"
Ø	1/2"



Adaptador de segurança com furo de 1/4 ou 3/8"


Saddle type washer

Ref. RP 2062




Grapa guia
Guide bearing

Ref. RP 2554 - A= 60 mm
Ref. RP 2599 - A= 85 mm



Grapa fixa
Beam clamps

Ref. RP 2068



Abraçadeiras metálicas

Metallic clamps

Braçadeira "U" Perfil
U pipe clamp

Ref.	Ø
RP 2079	3/8"
RP 2080	1/2"
RP 2081	3/4"
RP 2082	1"
RP 2083	1.1/4"
RP 2084	1.1/2"
RP 2085	2"
RP 2086	2.1/2"
RP 2087	3"
RP 2088	3.1/2"
RP 2089	4"
RP 2289	6"



Parafusos e porcas inclusos
Screws and nuts included

Braçadeira "U" perfil com cunha
"U" Clamp with clamping wedge

Ref.	Ø
RP 2480	1/2"
RP 2481	3/4"
RP 2482	1"
RP 2483	1.1/4"
RP 2484	1.1/2"
RP 2485	2"
RP 2486	2.1/2"
RP 2487	3"
RP 2488	3.1/2"
RP 2489	4"



Abraçadeira "D" com parafuso
"D" Pipe clamp with fixing bolts

Ref.	Ø
RP 2091	1/2"
RP 2092	3/4"
RP 2093	1"
RP 2094	1.1/4"
RP 2095	1.1/2"
RP 2096	2"
RP 2097	2.1/2"
RP 2098	3"
RP 2373	3.1/2"
RP 2375	4"



Parafusos e porcas inclusos
Screws and nuts included

Abraçadeira "D" com cunha
"D" Clamp with clamping wedge

Ref.	Ø
RP 2290	3/8"
RP 2291	1/2"
RP 2292	3/4"
RP 2293	1"
RP 2294	1.1/4"
RP 2295	1.1/2"
RP 2296	2"
RP 2297	2.1/2"
RP 2298	3"
RP 2374	3.1/2"
RP 2376	4"



Unha
Snap type strap

Ref.	Ø nom.	Ø A	Ø B
RP 2189	3/8"	17,5	3/8"
RP 2190	1/2"	22	3/8"
RP 2191	3/4"	27,5	3/8"
RP 2192	1"	34	3/8"
RP 2193	1.1/4"	43	3/8"
RP 2194	1.1/2"	49	3/8"
RP 2195	2"	61	3/8"
RP 2196	2.1/2"	74	3/8"
RP 2197	3"	90	3/8"
RP 2198	3.1/2"	102	3/8"
RP 2199	4"	114	3/8"



Ômega
Omega type strap

Ref.	p/ tubo Ø
Ref.	for tube Ø
RP 2099	3/8"
RP 2100	1/2"
RP 2101	3/4"
RP 2102	1"
RP 2103	1.1/4"
RP 2104	1.1/2"
RP 2105	2"
RP 2106	2.1/4"
RP 2107	3"
RP 2108	3.1/2"
RP 2109	4"
RP 2110	5"
RP 2111	6"
RP 2112	8"
RP 2113	10"



Abraçadeiras metálicas

Metallic clamps

União horizontal
Adjustable hanger horizontal type



Ref.	Diámetro nominal		Ø	B	C	Carga máx.
	Nom. diameter					
Ref.	pol.	mm	mm	mm	mm	Max. load
RP 2127	1/2"	21,3	23,8	25	3/8"	150 Kg
RP 2128	3/4"	26,7	28,6	25	3/8"	150 Kg
RP 2129	1"	33,5	34,9	25	3/8"	150 Kg
RP 2130	1.1/4"	42,3	43,7	25	3/8"	250 Kg
RP 2131	1.1/2"	48,3	50,8	25	3/8"	250 Kg
RP 2132	2"	60,3	61,9	45	3/8"	250 Kg
RP 2133	2.1/2"	75,5	75	45	3/8"	350 Kg
RP 2134	3"	88,3	90,5	45	3/8"	350 Kg
RP 2135	3.1/2"	101,6	104,9	50	3/8"	450 Kg
RP 2136	4"	114,3	116,7	50	3/8"	450 Kg
RP 2137	5"	141,3	142,9	55	3/8"	550 Kg
RP 2138	6"	168,3	171,5	55	3/8"	550 Kg
RP 2139	8"	219,1	222,3	60	3/8"	750 Kg
RP 2140	10"	273	276,2	60	3/8"	900 Kg
RP 2141	12"	324	327	75	3/8"	1100 Kg

Grampo "U"
"U" bolt support



Ref.	Diámetro nom.		Ø	B	C	D	Carga máx.
	Nom. diameter						
Ref.	pol.	mm	mm	mm	mm	mm	Max. load
RP 2173	3/8"	16,9	19,1	33,3	58,7	1/4"	280 Kg
RP 2174	1/2"	21,3	23,8	44,5	69,9	5/16"	600 Kg
RP 2175	3/4"	26,7	28,6	44,5	77,8	5/16"	601 Kg
RP 2176	1"	33,5	34,9	47,6	84,1	5/16"	602 Kg
RP 2177	1.1/4"	42,3	43,7	44,5	88,9	5/16"	603 Kg
RP 2178	1.1/2	48,3	50,8	44,5	95,3	5/16"	604 Kg
RP 2179	2"	60,3	61,9	52,4	119,1	3/8"	900 Kg
RP 2180	2.1/2"	75,5	77	52,4	130,2	3/8"	901 Kg
RP 2181	3"	88,3	90,5	50,8	144,5	3/8"	902 Kg
RP 2182	3.1/2"	101,6	104,9	50,8	157,2	3/8"	903 Kg
RP 2183	4"	114,3	116,7	57,2	176,2	3/8"	904 Kg
RP 2184	5"	141,3	142,9	76,2	215,9	1/2"	1600 Kg
RP 2185	6"	168,3	171,5	95,3	257,2	1/2"	1601 Kg
RP 2186	8"	219,1	222,3	69,8	308	1/2"	1602 Kg
RP 2187	10"	273	276,2	76,2	371,5	1/2"	2500 Kg
RP 2188	12"	324	327	95,3	400,1	1/2"	3500 Kg

Acompanha duas porcas e duas arruelas de pressão
Supplied with two sets of nuts and lock washers.

União vertical
Adjustable hanger vertical type




Ref.	Diámetro nom.		Ø	B	C	Carga máx.
	Nom. diameter					
Ref.	pol.	mm	mm	mm	mm	Max. load
RP 2142	1/2"	21,3	22	38	3/8"	150 Kg
RP 2143	3/4"	26,7	27	38	3/8"	150 Kg
RP 2144	1"	33,5	34	38	3/8"	150 Kg
RP 2145	1.1/4"	42,3	43	38	3/8"	250 Kg
RP 2146	1.1/2"	48,3	49	38	3/8"	250 Kg
RP 2147	2"	60,3	61	38	3/8"	250 Kg
RP 2148	2.1/2"	75,5	77	38	3/8"	350 Kg
RP 2149	3"	88,3	89	38	3/8"	350 Kg
RP 2150	3.1/2"	101,6	102	50	3/8"	450 Kg
RP 2151	4"	114,3	115	50	3/8"	450 Kg
RP 2152	5"	141,3	142	50	3/8"	550 Kg
RP 2153	6"	168,3	170	50	3/8"	550 Kg
RP 2154	8"	219,1	222	70	3/8"	750 Kg
RP 2155	10"	273	276	70	3/8"	900 Kg
RP 2156	12"	324	327	70	3/8"	1100 Kg

Econômica
Band hanger - economic type



Ref.	Diámetro nom.		Ø	C	Carga máx.
	Nom. diameter				
Ref.	pol.	mm	mm	mm	Max. load
RP 2114	1/2"	21,3	22	3/8"	250 Kg
RP 2115	3/4"	26,7	27	3/8"	250 Kg
RP 2116	1"	33,5	34	3/8"	250 Kg
RP 2117	1.1/4"	42,3	43	3/8"	250 Kg
RP 2118	1.1/2"	48,3	49	3/8"	250 Kg
RP 2119	2"	60,3	61	3/8"	250 Kg
RP 2120	2.1/2"	75,5	77	3/8"	250 Kg
RP 2121	3"	88,3	89	3/8"	420 Kg
RP 2122	3.1/2"	101,6	102	3/8"	420 Kg
RP 2123	4"	114,3	115	3/8"	420 Kg
RP 2124	5"	141,3	142	3/8"	420 Kg
RP 2125	6"	168,3	170	3/8"	540 Kg
RP 2126	8"	219,1	222	3/8"	780 Kg

Braçadeira vertical
Vertical riser support



Ref.	Ø nom.	Ø
RP 2157	1/2"	22
RP 2158	3/4"	27
RP 2159	1"	34
RP 2160	1.1/4"	43
RP 2161	1.1/2"	49
RP 2162	2"	61
RP 2163	2.1/2"	77
RP 2164	3"	89
RP 2165	3.1/2"	102
RP 2166	4"	115
RP 2167	5"	143
RP 2168	6"	172
RP 2169	8"	223
RP 2170	10"	277
RP 2171	12"	328